

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4717	(370/230-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/15 10:37
S3	6047	(370/229-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 06:50
S29	1585	(370/537-541).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/15 13:13
S37	3825	(370/412-419).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 13:38
S48	2489	(370/412).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 13:29
S64	2491	(370/412).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/17 08:02
S120	422	(370/229).ccls. and (@ad<="19991126")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/17 16:20
S121	780	(370/412).ccls. and (@ad<="19991126")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/17 16:45
S122	424	(370/413).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 12:11

S123	94	S122 and (underflow or overflow)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 16:22
S126	2472	(370/428-429).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 06:54
S132	3520	(370/412-418).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 13:39
S133	25	S132 and (high water mark or low water mark)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 13:54
S134	2369	(370/235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 13:54
S136	116	(370/236.1).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 14:15
S137	797	(370/236).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 14:15
S146	1	10/730390	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 11:23
S165	2009	(370/230).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 13:07
S168	62	(rout\$3 or switch\$3 or bridg\$3) same (queue or buffer or stor\$4) same (low or high) same (threshold or (water near2 mark))near5 (halt or backpressur\$3 or feedback\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:33

S169	3	S168 and (drop\$4 or discard\$3 or throw\$3) with (packet or frame or PDU or cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:33
S170	4484	(370/412-419).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:36
S171	127	S170 and (backpressur\$3 or feedback\$3) with (congest\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:36
S172	18	S171 and (queue or buffer or stor\$4) with (low or high) with (threshold or limit or (water near2 mark))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:37
S180	142	S170 and (feedback\$3 or backpressur\$2 or halt\$3) with (congest\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:47
S181	22	S180 and (queue or buffer or stor\$4) with (low or high) with (threshold or limit or (water near2 mark))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:47
S182	3970	(discard\$3 or drop\$4)near5 (exceed\$3) with (threshold or limit or (water near2 mark))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:55
S183	28	S182 and (backpressur\$2 or feedback\$3) near5 (queue or buffer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:56
S184	2016	((switch\$3 or rout\$3 or multiplex\$3) near2 (fabric) near3 (queue or buffer or stor\$4 or memory))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:06
S185	579	S184 and (discard\$3 or drop\$4) near3 (packet or frame or PDU or frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:07

S186	144	S184 and (discard\$3 or drop \$4) near3 (packet or frame or PDU or frame)with (congest\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:07
S187	25	S186 and (high or low) near3 (threshold or limit or (water near2 mark))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:07
S188	2596	(370/428-429).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:10
S189	82	S188 and (discard\$3 or drop \$4) near3 (packet or frame or PDU or frame)with (congest\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:10
S190	76	(flow with control) near3 (router or switch or bridg\$3 or gateway) with (congest\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:17
S191	21	((BRUCE) near2 (MELVIN)). INV.	US-PGPUB; USPAT	ADJ	ON	2009/03/18 10:58
S192	26	((ROBERT) near2 (FAULK)). INV.	US-PGPUB; USPAT	ADJ	ON	2009/03/18 10:58
S193	2698	(370/428-429).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:08
S194	4141	(370/412-418).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:08
S195	8420	(370/229-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:08
S196	131	S193 and S194 and S195	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:09

S197	12	S196 and (discard\$3 or drop \$4) with (descriptor or pointer or (link near2 list) or identifier)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:11
S198	2234	((switch\$3 or rout\$3 or multiplex\$3) near2 (fabric) near3 (queue or buffer or stor \$4 or memory))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:23
S199	80	S198 and (discard\$3 or drop \$4) near3 (pointer or descriptor or header or identifier)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:23
S200	10	("5539747" or "6167452" or "6084856" or "6493315" or "6192422").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:35
S201	311	(discard\$3 or drop\$4) with ((message near2 descriptor) or pointer or (link near2 list) or identifier)near2 (queue or buffer or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:59
S202	122	S201 and (feedback or backpressure or halt or (flow near2 control))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 12:00
S204	6	(determin\$8 or calculat\$3) same (number near2 (flow)) near2 (control) with (request or halt or backpresure or feedback)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:29
S205	749	(number) same (flow near2 control)with (request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:30
S206	626	S205 and ((message near2 descriptor) or pointer or counter or (link or port near2 (list)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:31

S207	142	S205 and ((message near2 descriptor) or pointer or counter or (link or port near2 (list)))near2 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:32
S208	15	S205 and (discard\$3 or drop \$4) near3 (pointer or descriptor or header or identifier)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:40
S209	12	S205 and (discard\$3 or drop \$4) near3 (pointer or descriptor or identifier or (link or port near2 (list)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:55
S210	7699	(discard\$3 or drop\$4) near3 (pointer or descriptor or identifier or (link or port near2 (list)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:57
S211	441	(discard\$3 or drop\$4) near3 (pointer or descriptor or identifier or (link or port near2 (list)))with (buffer or queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:57
S212	409	S211 and (maximum or threshold or limit or (high or low near2 (water)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:58
S213	4	S211 and (maximum or threshold or limit or (high or low near2 (water)))near2 (mark)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:59
S215	2	S212 and (number) with (flow near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 17:00
S216	17	S212 and (flow near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 17:01
S217	10	("5539747" or "6167452" or "6084856" or "6493315" or "6192422").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 17:13

S218	2527	(370/230).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 18:26
S219	26	S218 and (discard\$3 or drop \$4) near3 (pointer or descriptor or identifier or (link or port near2 (list)))with (buffer or queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 18:27
S220	3	S219 and (backpressure or feedback or halt near2 (pause or signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 18:28
S221	51	(feedback\$3 or backpressur\$3 or halt\$3 or pause) near2 (buffer or queue or memory) with (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:04
S222	193	(feedback\$3 or backpressur\$3 or halt\$3 or pause) near2 (buffer or queue or memory) with (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:16
S223	1	(releas\$3) with(feedback\$3 or backpressur\$3 or halt\$3 or pause) near2 (buffer or queue or memory) with (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:44
S224	47	(releas\$3) with(feedback\$3 or backpressur\$3 or halt\$3 or pause) near2 (buffer or queue or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:45
S225	38	S224 and (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:45
S226	47	(releas\$3 or resum\$3 near2 (transmission)) with(feedback \$3 or backpressur\$3 or halt\$3 or pause) near2 (buffer or queue or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:48

S227	109	(releas\$3 or resum\$3 near2 (transmission)) same(feedback \$3 or backpressur\$3 or halt\$3 or pause) near2 (buffer or queue or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:51
S228	85	S227 and (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:51
S229	91	S227 and (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority or (frame or packet near2 (size or type)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:57
S230	82	S229 and (threshold or limit or maximum or minimum or level or length or size)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:58
S231	2775	(370/428-429).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:46
S232	4328	(370/412-418).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:46
S233	9020	(370/229-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:46
S234	0	S231 same S232 same S233	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:47
S235	631	S231 and S232	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:47
S236	631	S235 and S232	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:47

S237	595	S236 and (descriptor or o ID or identifier or tag (message near2 descriptor) or (link or port near2 (list)) or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:49
S238	431	S237 and (threshold or limit or maximum or minimum or level or length or size) near3 (queue or buffer or memory or stor\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:50
S239	0	S238 and (releas\$3 or resum\$3 near2 (transmission)) same (feedback\$3 or backpressur\$3 or halt\$3 or pause) near2 (bufffer or queue or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:50
S240	3	S238 and (releas\$3 or resum\$3 near2 (transmission)) same (feedback\$3 or backpressur\$3 or halt\$3 or pause)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:51
S241	98	S238 and (discard\$3 or drop \$4) with (congestion or overflow or overfil or exceed \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:56
S242	18	S241 and (feedback or backpressure or halt\$3 or stop \$4 or resum\$3 or paus\$3) with (transmission or transmit\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:58
S243	2147	(370/229).ocls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 09:02
S244	1939	S243 and (descriptor or o ID or identifier or tag (message near2 descriptor) or (link or port near2 (list)) or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 09:03
S245	373	S244 and (feedback or backpressure or halt\$3 or stop \$4 or resum\$3 or paus\$3) with (transmission or transmit\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 09:03
S246	69	S238 and (discard\$3 or drop \$4) with (congestion or overflow or jam near2 (buffer or queue or memory))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 09:04

9/ 11/ 2009 1:19:28 PM

C:\ Documents and Settings\ celpenord\ My Documents\ EAST\ Workspaces\ 10730390.wsp